

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		$\Delta D \Delta V \Delta$			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemer	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	Yoga Slim 7 Carbon 14ACN6						
Model number *	82L0						
Issue date *	2021/08/30						
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82L0 Logo			
lssue da	ate *	2021/8/30	Lenov		
	t environ	mental attributes - Legal requirements	Require		t met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\square$		
P1.3*	Product hydrobro trichloro concent				
P1.4*	Product terphen	$\boxtimes$			
P1.5*	Product chain co				
P1.6*	Parts wi (see leg Comme	ek 🔀			
P1.7*	REACH https://	$\boxtimes$			
P2	Batterie	95			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\boxtimes$		
P2.2*	Batterie referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg æ)	al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Confor	nity verification & Eco design (ErP)			
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$		
	· ·	d information is;	$\boxtimes$		
		www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the materia ee legal reference).			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference). nt: Legal reference has no maximum concentration values.	col 🔀		
P6	I reatmo	ent information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82L0	Logo			
Issue da	te *	2021/8/30		Len	ovo	тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				_
P7.1*		at have to be treated separately are easily separable naterials in covers/housing have no surface coating.			<u> </u>	
P7.2*				<u> </u>		
P7.3*		arts > 100 g consist of one material or of easily separable materials.				$\boxtimes$
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				$\boxtimes$
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
	Product					
P7.7*	10	ng can be done e.g. with processor, memory, cards or drives				
P7.8*	10	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: <b>5</b> years				
P7.10	Service i	is available after end of production for: <b>5</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: PC/ABS Material type: aluminum Materia n materials of external electrical cables are PVC free.	al type:	N7		
					<u> </u>	<u> </u>
P7.13		n materials of internal electrical cables are PVC free.			<u> </u>	
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, an	d 🗖		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🧮 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n	$\square$	
P7.16	Marking:					$\boxtimes$
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):	_	_	
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:				$\bowtie$
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			$\boxtimes$
P7.18	<u>Alt. 1: </u> Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations i	n		
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "				
	<u>Alt. 2: </u> Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			$\boxtimes$
	assigned	the following Risk phrases; and Hazard statements:			_	_
			ee note B5)			
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):			$\boxtimes$	
	a) Of t a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <i>0</i> %.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82L0	Logo	Lenovo
Issue date *	2021/8/30		LEHOVO
Product environ	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement metYesNon.a.

P7.21*	If YES; at least on a) Of total plasti	e of the two alternative	d in the product (See NO	DTE B7):				
	a) Of total plasti total plastic b							
	•	total plastic by weight) is %.						
	b) The weight of	f the biobased plastic r	material is g.					
P7.22*			less than 0,1 mg/lamp.					
	If mercury is used	specify: Number of lar	mps: and maximu	im mercury content pe	er lamp: mg			
P8	Batteries							
P8.1*	•	omposition: Lithium i	on					
P9		tion (See NOTE B8)						
P9.1			ls or energy consumptio					
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-n	nax)	65 W	65 W	65 W	Full load			
<u>Category</u>	<u>/</u>							
Short Idle : Enabled	State - WOL	6.68 W	6.70 W	7.05 W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )			
Long Idle S Enabled	State - WOL	2.70 W	2.70 W	<b>2.92</b> W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )			
Sleep (S3)	- WOL Enabled	2.70 W	2.38 W	2.78 W	Use for ENERGY STAR V8.0 registration (P <sub>sleep</sub> )			
Off (S5) - V	VOL Enabled	0.25 W	0.26 W	0.30 W	Use for ENERGY STAR V8.0 registration (P <sub>off</sub> )			
Off (S5) - V	VOL Disabled	0.25 W	0.26 W	0.30 W	Use for ErP			
EPS No-loa (External power su wall outlet but disc	ad upply / charger plugged in the connected from the product.)	0.02 W	0.02 W	<b>0.02</b> W				
PTEC *	ergy Consumption	W	W	W				
ETEC * Annual Ene	ergy Consumption	28.75 kWh/year	27.84 kWh/year	<b>30.27</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short Idle</sub> x 0.30)			
		Poff: Off Mode(S5) - We	DL Enabled; P <sub>sleep</sub> : Sleep	Mode(S3) - WOL Enable	ed; P <sub>idle</sub> : Idle State - WOL Enabled			
External Po	wer Supply Efficier		I Efficiency Marking Pro					
	olution * : 2880*180		, ,	/	<u> </u>			
		ive mode: 25 minutes						
P9.2*	0,		on is provided with the	product.				
P9.3		class (monitors only):						
P10	Emissions	·······						
		Declared according to	ISO 9296 (See NOTE	B9)				
P10.1		Node description	, , ,		it A-weighted sound power level, L <sub>WA,c</sub> (B)			
		System Idle		* 2.2				
	Operation *	CPU Operation		* 4.1				
	Other mode	Declared A-weighted soun	d pressure level (dB) L <sub>pAm</sub>	18.9 (operator posi	ition desktop – idle)			
Ĩ	Other mode	eclared A-weighted soun	d pressure level (dB) $L_{pAm}$					
	Measured accordin	ng to: 🔀 ISO 7779 🗌	ECMA-74 (only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	82L0			Logo			
Issue dat	е *	2021/8/30				Leno	VO <sub>m</sub>	
Product	environr	nental attribu	tes - Market requirements	(continued)		Require	ment ı	met
Item						Yes	No	n.a.
		nagnetic emiss						
P10.4	program	(s):	the requirement for low frequer	ncy electromagnetic fields	of the following volunt	ary	$\boxtimes$	
P12	Ergono	mics for compu	iting products					
P12.1*			rgonomic requirements of ISO 9					
P12.2*	The phy	sical input devic	e meets the requirements of ISC	O 9995 and ISO 9241-410	).	$\square$		
P13	Packaging and documentation							
P13.1*	Product packaging material type(s): Paper - cardboard weight (kg): 0.845   Product packaging material type(s): Plastic - EPE (polyethylene) weight (kg): 0.071   Product packaging material type(s): Plastic - PP (polypropylene) weight (kg): 0.008							
P13.2*	Product	plastic primary	backaging is free from PVC.			$\square$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Ùser an		nis item if paper documentation nentation on paper media is chlo					
	Totally c	hlorine-free				$\boxtimes$		
		al chlorine-free				i i i		
	Process	ed chlorine-free				H		
P14	Volunta	ry programs						
P14.1			equirements of the following vol	untary program(s):				
	ENERG	Y STAR®	Criteria version: 8.0	Date: 2021/08/30	Product category: 2			
	Eco-labe	el:	Criteria version:	Date:	Product category:			
	Eco-labe		Criteria version:	Date:	Product category:			
P15			(See NOTE B10)					
P9			of specific configuration may					
	informat knowled	ion contained in ge available at t l here is approxi	no representations, guarantees, this document. All information p he time of completion, and supp mate and provided for information	provided by supplier in this plier shall have no obligati	s document is provided on to update such info	based on supp mation. The inf	olier's formatio	on
P9	See Ene	ergy Star Qualifie	ed Notebooks & Tablet Compute ov/index.cfm?fuseaction=find_a					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Slim 7 Carbon 14ACN6	Logo
Model Number	82L0	Lonovo
Issue Date	2021/8/30	Lenovo
Additional information		

P7.1.1	Product environmental attributes							
(d)	Year of manufacture:							
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]		16					
ents ing	Additional internal storage	(Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)			
ibility a ied dur	Discrete Audio Card	(Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)			
cap <i>a</i> appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: NV N18S-LP-A1 GPU (Yes / No)	#: (Yes / No)	#: (Yes / No)			
sults	Category of discrete graphics Card(s)		G4					
	Etec Value (kWh) - dGfx disabled al discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		22.54					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
g)	Idle state power demand (Watts);	•	1	I	7.05			
n)	Sleep mode power demand (Watts);				2.78			
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);					
i)	Off mode power demand (Watts);				0.30			
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);					
I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):				
	10% 20% 50%	100% Avera	age					
m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 89.07%,89.1	5%,89.21%,89.09%,89	.18%,89.21%					
	*internal note: show values for all available external p							
0)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	300			
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – ir	ternal PSU efficiency	:			

(p-2)	Measurement metho	dology used to determine information mentioned in p rogram Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)	ooints (m) – external PSU efficiency: I Ac-Dc and Ac-Ac Power Supplies		
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:		
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode		
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::		
		Power on -> Wait 5 minutes ->Stable col	ndition		
(r)	Description of how s	eep and/or off mode was selected or programmed:			
		Begin menu -> Power -> Select sleep or c	ff mode		
(s)	Sequence of events off mode: <b>NA</b>	required to reach the mode where the equipment au	tomatically changes to sleep and/or		
(t)		te condition before the computer automatically re-		30min	
(u)	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):				
(v) (w)		re the display sleep mode is set to activate after nergy-saving potential of power management functio		10min	
		Refer to User Guide			
(x)	User information on	now to enable the power management functionality: <i>I</i>	Refer to User Guide		
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:			
		230V50HZ-2%-Edition 2.0, 2011-01, Section	I, IEC62301		
Additio	nal Notebook Batter			<i>n/a</i>	
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily	Battery[ies] user replaceable	n/a	
		replaced by users themselves. <sup>1)</sup>			
Internal/	/built-in Battery				
	l/detachable Battery				
	ckup Battery				
Other:					
Addition	nal information				
) ha hattandia	al in this word, at any at he a				
кумулаторн	ата[ите] батерия[и] в този п	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.		
ýměnu bater	rie/baterií v tomto výrobku by	leriet/batterierne i dette produkt.			
er Akku/die		können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.		
a/les batterie	e(s présente(s) dans ce produ	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu	x-mêmes.		
a batteria/le		n può/possono essere facilmente sostituita/e dall'utente.			
io gaminio b	nevar nomainīt šā ražojuma a paterijos [bateriju] pats vartoto	as negali lengvai pakeisti.			
batterija/bat	tteriji f'dan il-prodott ma tistax/	elhasználó nem tudja egyedül egyszerűen kicserélni. jistghux tigi/jigu sostitwita/i mill-utenti stess.			
e batterij(en		e gebruiker niet gemakkelijk vervangbaar.			
ou as bateri	ias deste produto não podem	wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores.			
atériu(-ie) v	tomto výrobku nemôže vymie				
ämän tuotte	en akku [akut] ei[vät] ole help				
	ıkelt för kunden att själv byta u batarya(lar) kullanıcılar tarafır				