



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	n The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	82VA,82VB			
Model number *	Yoga Slim 7 Pro 16IAH7			
	Lenovo Slim 7 Pro 16IAH7			
Issue date *	2022/03/26			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		82VA,82VB	Logo	Lone		
Issue date * 2022/03/		2022/03/26		Lend	JVC	TH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference).		$\boxtimes$		
D. 1. 0.1		nt: Legal reference has no maximum concentration value.			_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products terpheny					
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tl	he 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\square$		$\Box$
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products,		X		П
	(see lega	al reference).			_	
	Required	d information is; given in item P15 or added to this document,		$\boxtimes$	Ш	$\sqcup$
		available at (add URL):				
		vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging			_	
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, cadmium a	nd 🔀	Ш	
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	of the material	(s) 🔀		
P5.3*	The prod	o logar reference).  luct packaging material is free from ozone depleting substances as specified in the Nal reference).  It: Legal reference has no maximum concentration values.	nontreal Proto	col 🔀		
P6		nt: Legal reference has no maximum concentration values.  nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
1 0.1	mormati	on for recycles are carried traditions is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wodel number *		82VA,82VB	Logo	Lend	21/0	
Issue dat	te *	2022/03/26		Len		TH
	- Enviro	mental attributes - Market requirements (See General NOTE GN lonmental conscious design	•	Requirer		net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling		<u> </u>	_	
P7.1*		at have to be treated separately are easily separable		$\underline{\hspace{1.5cm}}$		<u> </u>
P7.2*		naterials in covers/housing have no surface coating.		<u> <u> </u></u>		Ц_
P7.3*		arts > 100 g consist of one material or of easily separable materials.				$\boxtimes$
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  Labels are easily separable. (This requirement does not apply to safety/regulatory labels)					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime  Lingrading can be done a gravith processor memory cards as drives				_	
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Ц_	Щ
P7.8*		ng can be done using commonly available tools		$\boxtimes$		
P7.9	_ ' '	arts are available after end of production for: 1.25 years				
P7.10	Service i	s available after end of production for: 2.25 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>PC+ABS+15% Talc</i> Material type: <i>PC+ABS</i> Materia	al type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.		$\boxtimes$		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		$\boxtimes$		
P7.14	weight ( polyvinyl more tha	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	retardants, and parts containing			
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen	n 🔲		
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >FR(40)<				
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Bromine-containing</b> 88928-70-1				
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	, 0			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: <i>BPADP</i> , CAS #: 5945-33-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations in			
	Alt. 2: Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: <b>FR(40)</b>	$\boxtimes$		
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:				
	The soul	rce(s) for these classifications is/are found at (add URL(s)): European Council D EC (See note B5)	irective,			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):				
	a) Of t a po or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is %.  The weight of recycled material is 25.5 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82VA,82VB	Logo	Lan	OVO	
Issue date *	2022/03/26		Lei		ТН
Product environr	nental attributes - Market requirements (continued)		Requ	iremer	nt met
Item			Yes	No	n.a.

		stance requirements								
P7.21*	Biobased plastic r	material content is use	d in the product (See I	NOTE B7):						
			es below shall be ansv							
			, the biobased plastic	material content (calcul	ated as a percentage of					
	total plastic b	by weight) is %.								
		of the biobased plastic	material is a.							
P7.22*			. less than 0,1 mg/lam	p.	ΧП					
		specify: Number of la	mps: and maxi	mum mercury content p						
P8	Batteries				<u> </u>					
P8.1*		composition: Lithium	ion							
P9		nergy consumption (See NOTE B8)								
P9.1		For the product the following power levels or energy consumptions are reported:								
Energy m	oue	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш				
Peak (On	ı-max)	135 W	135 W	135 W	Full load					
Catego	ry2									
	<u> </u>									
	e State - WOL	11.45 W	11.51 W	11.37 W	ENERGY STAR Computers V8					
Enabled					(P <sub>idle</sub> )					
Long Idle	State - WOL	1.11 W	1.08 W	1.20 W	ENERGY STAR Computers V8					
Enabled					(P <sub>idle</sub> )					
01 (01	0) WOLD:	4.04)//	4.07\\\	4 44 10/	ENERGY OTAR Comments are 1/0					
• •	3) - WOL Disabled	1.04 W	1.07 W	1.11 W	ENERGY STAR Computers V8					
Off (S5) -	WOL Disabled	<b>0.71</b> W	0.62 W	<b>0.71</b> W	ENERGY STAR Computers V8					
EPS No-le		0.05 W	0.05 W	0.05 W						
(External pow5, plugged in the v the product.)	/17/2022er supply / charger wall outlet but disconnected from									
PTEC *		W	W	W		$\boxtimes$				
	nergy Consumption									
ETEC *		<b>35.81</b> kWh/year	35.83 kWh/year	<b>35.89</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	Ш				
Annual El	nergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short_Idle</sub> x 0.30)					
		Poff: Off Mode(S5) - W	OL Enabled; P <sub>sleep</sub> : Slee	ep Mode(S3) - WOL Enab	led; P <sub>idle</sub> : Idle State - WOL Enabled					
External F	Power Supply Efficie		al Efficiency Marking P							
Display re	esolution * : 2560*16	00 megapixels		·		$\overline{}$				
		ave mode: 10 minutes	i			Ħ				
P9.2*			tion is provided with th	e product		H				
P9.3		class (monitors only):	aon lo providou mar ar	o product.						
P10	Emissions	ciass (monitors only).								
r IV		- Declared according t	to ISO 9296 (See NOT	F R9)						
P10.1		Mode description	.0 100 0200 (000 110 1		nit A-weighted sound power level, $L_{WA,c}$	(B)				
		* System Idle		* 3.3	, mgs					
	Operation	* CPU;Operation  Declared A-weighted sound pressure level (dB)		* 3.8						
	Other mode			22 (operator positi	ion desktop – idle)					
		$L_{pAm}$		(0)						
	Other mode	Declared A-weighted soul $L_{p{\sf Am}}$	nd pressure level (dB)	39.7 (operator pos	ition desktop – operating)					
	<u> </u>	· 🗖	7							
	Measured accord	ing to: ISO 7779 L	ECMA-74	FOMA 74)						

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		82VA,82VB			L	_ogo	Leno	V/0	
Issue date	*	2022/03/26					Leilo	VU,	
Product	environn	nental attributes	- Market requirement	ts (continued)			Require	ment	met
Item							Yes	No	n.a.
		nagnetic emission							
P10.4	program	(s): MPR-II(3 pin A		iency electromagnetic f	ields of the follow	ving voluntary			
P12		mics for computing							
P12.1*	-	•	omic requirements of ISC			es.	$\boxtimes$		
P12.2*	The phys	sical input device me	eets the requirements of I	SO 9995 and ISO 9241	I-410.				
P13		ng and documenta							
P13.1*	Product Product Product Product	packaging material i packaging material i packaging material i	type(s): Carboard type(s): paper(manual) type(s): Corrugated we type(s): Corrugated type(s): Plastic (LDPE) type(s): Plastic (EPE)	weight (kg): 0.553k	2kg kg 12kg				
P13.2*	Product	plastic primary pack	aging is free from PVC.				$\boxtimes$		П
P13.3*		duct primary corruga er recovered fiber co	ated fiberboard packagin ontent: <mark>90</mark> %	g, specify the containe	ed percentage o	of minimum po	ost-		
P13.4*		media for user and p ronic, ⊠Paper, □	product documentation (tid Other	ck box):					
P13.5	Ùser and If Yes, pl Totally c		em if paper documentatio ation on paper media is cl						
		ed chlorine-free					H		
D4.4									
<b>P14</b> P14.1		ry programs	rements of the following v	(oluntary program(e):					
F 14.1	•	Y STAR® el:	Criteria version: 8 Criteria version: Criteria version: Criteria version:	Date: Date: Date: Date:	Product ca Product ca Product ca	tegory:			
P15	Addition	nal information (Se	e NOTE B10)			<u> </u>			
P9	Energy	consumption of sp	ecific configuration ma						
80	the info supplier informa Accoun	rn, ation contained r's knowledge availtion. The informatit t Representative fo	representations, guarar in this document. All in lable at the time of com on provided here is app or more information.	formation provided by pletion, and supplier s roximate and provide	/ supplier in this shall have no old d for informatio	s document i digation to u	s provided pdate such	based	on
P9			Notebooks & Tablet Col /index.cfm?fuseaction=			naw code=0	20		
	nup.//wi	ww.energystar.gov	muex.ciiii : ruseaction-	miu_a_product.SHOW	rioduciGroups	ipgw_code=C	<del>,</del>		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Slim 7 Pro 16IAH7 Lenovo Slim 7 Pro 16IAH7	Logo
Model Number	82VA,82VB	Longvo
Issue Date	2022/03/26	Lenovo
Additional information		

(d)	Year of manufacture:				
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	32			
ents	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
bility a	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa appl	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
sults	Category of discrete graphics Card(s)	NO			
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	18.67			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	•	•	•	6.449
h)	Sleep mode power demand (Watts);				0.532
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		NA
j)	Off mode power demand (Watts);				0.239
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appl	icable)*:			
	Average active efficiency: 88.45%, 88.	.64%, 88.53%, 89.42	2%, 89.44%		
(o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	notebook computers):	300 cycles
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	<u> </u>

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: <i>IEC</i> 626				
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		Power on -> Wait 5 minutes -> Stable con	ndition			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	ff mode			
(s)	Sequence of events off mode: <b>NA</b>	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		30min		
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)	Length of time before	re the display sleep mode is set to activate after	user inactivity (in minutes):	10min		
(w)	Information on the er	nergy-saving potential of power management function	nality:Refer to User Guide			
(x)	User information on	how to enable the power management functionality:	Refer to User Guide			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the ins sting:				
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301			
Addition	al Notebook Batter	v Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					
External/	detachable Battery					
Bios Backup Battery						
Other:	Other:					
Additiona	l information			·		
\						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Nasulaju el saa selle toule akturaktosi lse l'iolipsasi aseritudud.

H μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batterief [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

uzyrkownik nie moze sam w łatwy sposob wymienic baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériilybaterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batteriema.

Bu tirtindeki batanzi(ar), kullancial tarafinda kolavlikia deßistirilemez.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.