



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Notebook					
Commercial name *	Yoga Slim 7 ProX 14IAH7,Lenovo Slim 7 ProX 14IAH7,Yoga 14s IAH7					
Model number *	82TK,82V1					
Issue date *	2022/04/20					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		0217,0271		Lend		
Issue date * 2022/04/20		2022/04/20		Leik		тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.			Ш	
P1.3*	Products	X				
		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride, 1,1,1-		ш	
	trichloroe	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated		Ш	
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in	the 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/we	ek 🔀		
		al reference).				
P1.7*		tt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):		$\overline{}$	
P1.7		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).		Ш	Ш
P2	Batteries	3				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See led	jal 🔀	П	
	reference		, ,			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		uct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference)			
		laration of Conformity can be requested at (add link or e-mail address):				
		/ww.lenovo.com/us/en/compliance/eu-doc for EU /ww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		uct complies with the Eco design requirements for energy-related products,		\square		
. 0.2		al reference).			ш	ш
	Required	I information is; Silven in item P15 or added to this document,				
	•	available at (add URL):				
	https://w	/ww.lenovo.com/us/en/compliance/eco-declaration				
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur ont chromium by weight of these together.	y, cadmium a	and 🔀		
P5.2*		aging materials are marked with abbreviations and numbers indicating the nature elegal reference).	of the materia	l(s)		
P5.3*	The prod	uct packaging material is free from ozone depleting substances as specified in the Naterial reference).	/ontreal Proto	ocol 🔀		
		it: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model num	nber *	82TK,82V1 Logo	on	01/0	
Issue date *		2022/04/20	.en		тн
		mental attributes - Market requirements (See General NOTE GN below)			
			equire		
		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
		Disassembly, recycling It have to be treated separately are easily separable			_
		naterials in covers/housing have no surface coating.		\vdash	+
	3				
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	╫	 	\boxtimes
	•	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		\vdash	\vdash
	•	re easily separable. (This requirement does not apply to safety/regulatory labels).		\vdash	+
	Product	· · · · · · · · · · · · · · · · · · ·			
		g can be done e.g. with processor, memory, cards or drives			$\overline{}$
		g can be done using commonly available tools	\overline{X}	\blacksquare	+
		irts are available after end of production for: 5 years			∺
	•	s available after end of production for: 5 years			╫
		and substance requirements			
		cover/housing material type (e.g. plastics, metal, aluminum):			
ı	Material ¹	type: Aluminum Material type: PC/ABS Material type:			
P7.12 I	Insulatio	n materials of external electrical cables are PVC free.	\boxtimes		
P7.13 I	Insulatio	n materials of internal electrical cables are PVC free.	\boxtimes		
1	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing n 25% post-consumer recycled content.			
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \boxtimes are low halogen d in IEC 61249-2-21. (See 1NOTE B2)			
P7.16 I		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
P7.17 <u>/</u>		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): 'A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			
8	accordin	nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "			
,	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		П	
		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	T	T	
		the following Risk phrases; and Hazard statements:			
		ce(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
ć	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 2.34%. weight of recycled material is 5.0 g.			
,	0, 1110	weight of recycled material is 0.0 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82TK,82V1	Logo	Len	01/0	
Issue date *	2022/04/20		Len) _{TH}
Product environr	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

P7.21*		stance requirements	(continued) d in the product (See N	IOTE R7):							
P1.21	•			,		Ш					
			es below shall be answ the biobased plastic n		ated as a percentage of						
	total plastic b		tile biobasea plastis ii	iateriai content (calcai	ated as a percentage of						
	or										
P7.22*		f the biobased plastic				_					
P1.22"		rree from mercury, i.e. specify: Number of lai	less than 0,1 mg/lamp	num mercury content p	per lamp: mg	Ш					
P8	Batteries	opoony. Humbor or lai	npo. ana maxin	iam moreary contone p	or iding.						
P8.1*	Battery chemical of	omposition: Lithium i	on			П					
P9	Energy consump	nergy consumption (See NOTE B8)									
P9.1	For the product the	e following power leve	ls or energy consumpti								
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy						
D1- (O		100 V AC	115 V AC	230 V AC	modes and test method *						
Peak (On-i	nax)	100 W	100 W	100 W	Full load						
Category	<u>/ 2</u>										
Short Idle	State - WOL	7.11 W	6.91 W	7.50 W	ENERGY STAR Computers V8						
Enabled					(P _{idle})						
Long Idle	State - WOL	2.37 W	2.17 W	2.28 W	ENERGY STAR Computers V8						
Enabled					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
Sleep (S3)	- WOL Enabled	0.74 W	0.75 W	0.77 W	ENERGY STAR Computers V8						
Off (S5) - V	VOL Enabled	0.26 W	0.27 W	0.29 W	ENERGY STAR Computers V8						
EPS No-loa	ad	0.0194 W	0.0194 W	0.0194 W							
(External power s	upply / charger plugged in the										
PTEC *	connected from the product.)	W	W	W		\square					
_	ergy Consumption	''									
ETEC *		23.61 kWh/year	22.95 kWh/year	24.71 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$						
Annual Ene	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_idle} x 0.10+						
		Post: Off Mode(S5) - W	 OL Enabled: Palaas: Sleet	n Mode(S3) - WOL Enab	P _{short Idle} x 0.30) led; P _{idle} : Idle State - WOL Enabled						
External Po	wer Supply Efficier		l Efficiency Marking Pr		loca, Francisco Control Control	\neg					
	olution * : 3072*19.	, ,				∺					
		ave mode: 30 minutes				∺					
P9.2*			ion is provided with the	product		╫					
P9.2			on is provided with the	product.							
		class (monitors only):									
P10	Emissions Noise emission -	Declared according to	o ISO 9296 (See NOTE	= R9)							
P10.1		Mode description	0 100 3230 (000 140 11		nit A-weighted sound power level, L _{WA s}	(B)					
	Idle *	System Idle		* 2.7	5 p 13101, = WA,C						
	Operation *	CPU Operation		* 3.7		一					
			od pressure level (dB) $L_{p m Ar}$		ition desktop – idle)						
			ad pressure level (dB) $L_{p{ m Ar}}$		ition desktop – operating)						
	-		•	n 25.2 (Operator pos	mion desktop – operating)						
	Measured accordi	• =	ECMA-74								
	Other (only if not covered by ECMA-74)										

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		82TK,82V1				Logo	Long	V/0	
Issue date *		2022/04/20					Lenc	VO,	
Product en	vironn	nental attributes	- Market requirements (co	ntinued)			Require	ment	met
Item							Yes	No	n.a.
E	lectron	nagnetic emissions	3						
р	rogram((s):	requirement for low frequency	electromagnetic fields	of the foll	owing voluntar	у		
		nics for computing							
		,	omic requirements of ISO 9241	• •	,	gies.	\boxtimes		
P12.2* T	he phys	sical input device me	eets the requirements of ISO 99	95 and ISO 9241-410	0.		\boxtimes		
P13 P	Packagii	ng and documenta	tion						
P P P P	Product p Product p Product p Product p	packaging material to packaging material to packaging material to packaging material to packaging material to packaging material to	ype(s): Paper - cardboard ype(s): Plastic - PE (polyethyl ype(s): Plastic - PU/EPU ype(s): Paper - Corrugated sil ype(s): Paper - from offset / ry ype(s): Plastic - Solid EPE (so	lene) weight (kg weight (kg ngle wall weight (kg ecycled source	g): 0.6715 g): 0.0172 g): 0.0045 g): 0.0636 weight (kg	5 g): 0.050			
P13.2* P	roduct p	plastic primary pack	aging is free from PVC.						
		luct primary corruga er recovered fiber co	ated fiberboard packaging, spe ntent: 60 %	ecify the contained p	ercentage	of minimum p	oost-		
		nedia for user and p onic, ⊠Paper, □	roduct documentation (tick box Other):					
l ù	Jser and		em if paper documentation used ation on paper media is chlorine						
E	Elementa	nlorine-free al chlorine-free ed chlorine-free							
		ry programs							
P14.1 T	he prod	luct meets the requi	rements of the following volunta	ary program(s):					
	NERGY PEAT	/ STAR®	Criteria version: 8.0 Criteria version: IEEE Std 1680.1™-2018	Date: 2022/03/23 Date: 2022/04/29	Product of	category: 2 category:			
P15 A	Addition	al information (Se	e NOTE B10)						
P9 E	nergy o	consumption of sp	ecific configuration may vary						
ti s ii	he infor supplier nformat Account	mation contained 's knowledge avail tion. The information t Representative fo	representations, guarantees, in this document. All informa lable at the time of completion provided here is approximation. Notebooks & Tablet Computes	tion provided by su n, and supplier shall ate and provided fo	pplier in t I have no r informat	his document obligation to t	is provided update such	based	on
			/index.cfm?fuseaction=find_a			o&pgw_code=	СО		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Slim 7 ProX 14IAH7, Lenovo Slim 7 ProX 14IAH7, Yoga 14s	Logo
	IAH7	
Model Number	82TK,82V1	Lopovo
Issue Date	2022/04/20	Lenovo
Additional information		

	Product environmental attributes				
d)	Year of manufacture:				
e) f)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor enable	switchable graphics n	node with UMA driving	the display.	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			32	
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a ied dur	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
cape appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: NV RTX 3050 GN20-P0 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)			G6	
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			8.19	
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	1		1	2.28
h)	Sleep mode power demand (Watts);				0.77
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
j)	Off mode power demand (Watts);				0.29
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 90.32%, 89.8	4%, 89.33%, 88.50%			
0)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300
(p-1)	Measurement methodology used to dete	rmine information men	tioned in points (I) – ir	nternal PSU efficiency:	

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)					
(p-3) Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	oints (o) – loading cycles batteries:				
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
	IEC 62623					
(q) Sequence of steps for	or achieving a stable condition with respect to power	demand::				
	Power on -> Wait 5 minutes -> Stable con	ndition				
(r) Description of how s	eep and/or off mode was selected or programmed:					
	Begin menu -> Power -> Select sleep or o	ff mode				
(s) Sequence of events off mode:	required to reach the mode where the equipment au	comatically changes to sleep and/or				
	NA					
	te condition before the computer automatically re-		30min			
(u) Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA			
	re the display sleep mode is set to activate after		10min			
	nergy-saving potential of power management function					
	Refer to User Guide					
(x) User information on	now to enable the power management functionality:					
	Refer to User Guide					
	measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:					
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301				
Additional Notebook Batter	y Information:					
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:	Other:					
Additional information			,			
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.
Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.
Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.
Det är inte enkelt för kunden att själv byta ut batteriet/batteriema.
Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.